

XI'AN FUNCTION MATERIAL GROUP CO., LTD Material Safety Data Sheet Magnesium Telluride

1. Product and Company Identification

Trade Name: Chemical Formula:

Manufacturer/Supplier: Street: City: State: Zip Code: Country: Tel #: Magnesium Telluride MgTe

XI'AN FUNCTION MATERIAL GROUP CO., LTD No. 69, Gazelle Valley, High-Tech Zone XI'AN Shaanxi 710077 China +86-29-88993870/+86-13519132051

EUNICIALER

2. Hazards Identification

	2. Hazarus identification
Signal Word:	Danger
	\land
	A
Hazard Statements:	H228 Flammable solid
	H251 Self-heating: may catch fire
	H261 In contact with water releases flammable gas
	H301: Toxic if swallowed H302: Harmful if swallowed
	H302: Harmun II swahowed H315: Causes skin irritation
	H319: Causes serious eye irritation
	H332: Harmful if inhaled
	H335: May cause respiratory irritation
Precautionary Statements:	P210 Keep away from heat/sparks/flame. No smoking.
	P222: Do not allow contact with air
	P223: Keep away from any possible contact with water, because of
	violent reaction and possible flash fire P231+P232 Handle under inert gas. Protect from moisture
	P261: Avoid breathing dust/fume/vapor
	P264: Wash thoroughly after handling
	P270: Do not eat, drink, or smoke when using this product
	P280: Wear protective gloves/protective clothing/eye protection/face
	protection
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER
	or doctor/physician P330: Rinse mouth
	P304+P340: IF INHALED: Remove victim to fresh air and keep at rest
	in a position comfortable for breathing
	P312: Call a POISON CENTER or doctor/physician if you feel unwell
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses if present and easy to do –
	continue rinsing P405: Store locked up
	P501: Dispose of contents/container in accordance with
	local/regional/national/international regulations
HMIS Health Ratings (0-4):	
Health:	2
Flammability:	1
Physical:	1
	3. Composition
Chemical Family:	Ceramic
Additional Names:	N/A
Magnesium Telluride (MgTe): Percentage:	100 wt%
CAS #:	12032-44-9
EC #:	234-773-2

	4. First Aid Procedures
General Treatment: Special Treatment:	Seek medical attention if symptoms persist. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration.
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion: Skin:	Seek medical attention. Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Flammable as powder
Extinguishing Media: Spec. Fire Fighting Procedure:	Use fire-fighting measures that suit the surrounding fire. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled: Environmental Precautions:	Keep away from ignition sources. Do not clean with water or water based cleaning agents. Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution.
	Isolate runoir to prevent environmental ponution.
	7. Handling and Storage
Handling Conditions: Storage Conditions:	Handle under dry protective gas. Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store under inert gas. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.
8.	Exposure Controls and Personal Protection
Permissible Exposure Limits: Threshold Limit Value:	0.1 mg/m ³ as Te, long-term value 0.1 mg/m ³ as Te, long-term value
Special Equipment: Respiratory Protection: Protective Gloves: Eye Protection: Body Protection:	None Dust Respirator Rubber gloves Safety glasses or goggles Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Ph	ysical and Chemical Characteristics
Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Oderless
Water Solubility:	N/A
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	3.85 g/cc
Molecular weight:	151.905 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Acids, Strong oxidizing agents. Possibility of hazardous reactions.
Incompatible Conditions:	Oxidizing Agents, Water/Moisture, Air.
Hazardous Decomposition Products:	Metal oxide fume, Hydrogen telluride, Tellurium dioxide, Magnesium Oxide
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause serious eye damage
Skin:	May cause skin irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/Ă
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	N/A
7	12. Ecological Information
Aquatic Toxicity:	N/A
Persistent Bioaccumulation Toxicity:	N/A
Very Persistent, Very Bioaccumulative:	N/A
Notes:	N/A
	13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

Hazardous: Hazard Class: Secondary Class: Packing Group:	Hazardous for transportation as Powder
Secondary Class: Packing Group:	4.3 Substances which in contact with water release flammable gas 4.2 Spontaneously combustible solids
Secondary Class: Packing Group:	4.3 Substances which in contact with water release flammable gas 4.2 Spontaneously combustible solids
Secondary Class: Packing Group:	4.3 Substances which in contact with water release flammable gas 4.2 Spontaneously combustible solids
Secondary Class: Packing Group:	4.2 Spontaneously combustible solids
Secondary Class: Packing Group:	4.2 Spontaneously combustible solids
Secondary Class: Packing Group:	4.2 Spontaneously combustible solids
Packing Group:	
UN Number:	UN1418
Proper Shipping Name:	Magnesium alloy powder
Hazardous:	Hazardous for transportation as Pieces/Bulk
	POISON
	6
Hazard Class:	6.1 Toxic substances.
Packing Group:	Ш
UN Number:	UN3284
Proper Shipping Name:	Tellurium compound, inorganic, n.o.s. (Magnesium Tellurium)
	15 Regulatory Information
Sec 302 Extremely Hazardous:	N/A
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	N/A
¥	16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

09/20/2018